

# **PSTB ENCLOSURES**

# CONTRACTOR RANGE

**PEEKN  
SERVICES**

**Industrial Electrical  
& IT Solutions**

Heathcote, NSW, 2233  
Business Reg: BN98476366  
ABN:15 924 167 896

[sales@peeknservices.com.au](mailto:sales@peeknservices.com.au)

**Tel: 0448 085 061**

**06:30 ~ 20:30 7 Days**



**MILD STEEL**

**16 SIZES**

**IP66 RATED**

**150X150X80**

~

**800X300X155**

---

# PSTB ENCLOSURE SPECIFICATIONS

---

## Features:

- Fully welded mild steel body.
- Door c/- foamed in PU seal & 180° hinges
- Rear of enclosure prepared for wall mounting
- IP 66 rated
- Mounting plate available as an accessory.

## Degree of protection:

- Complies with IEC60529, EN60529/10.91 & GB4208-93 standards.
- Rated to IP66
- Impact rating IK10

## Material:

- 1.2mm mild steel
- Thickness – Mounting plate, 2mm ?

## Surface finish:

- Epoxy polyester textured powder coating – RAL 7032

# CONTRACTOR RANGE

**PEEKN**  
**SERVICES**

**0448 085 061**

[sales@peeknservices.com.au](mailto:sales@peeknservices.com.au)

# PSTB ENCLOSURE SIZES

PART #	Width	Height	Depth	Mounting Plate
PSTB151508	150	150	80	TB1515
PSTB151512	150	150	120	TB1515
PSTB153008	150	300	80	TB1530
PSTB153012	150	300	120	TB1530
PSTB202008	200	200	80	TB2020
PSTB202012	200	200	120	TB2020
PSTB203008	200	300	80	TB2030
PSTB203012	200	300	120	TB2030

PART #	Width	Height	Depth	Mounting Plate
PSTB204008	200	400	80	TB2040
PSTB204012	200	400	120	TB2040
PSTB205012	200	500	120	TB2050
PSTB303012	300	300	120	TB3030
PSTB304012	300	400	120	TB3040
PSTB304015	300	400	155	TB3040
PSTB306015	300	600	155	TB3060
PSTB308015	300	800	155	TB3080

**PEEKN**  
**SERVICES**

**0448 085 061**

[sales@peeknservices.com.au](mailto:sales@peeknservices.com.au)